



Klant Catalogus

Fig. 111 - krambeugel

Moree & Vermeer BV
Ring 2 3212 LS Simonshaven
0181-451323
info@moreevermeer.nl



Inhoud

Fig.111 Krambeugel, Thermisch verzinkt

Fig.111 Krambeugel, S235 zwart

Fig.111 Krambeugel, RVS-316


Fig.111 Krambeugel, RVS-304

Fig.111 Krambeugel, Electrolytisch verzinkt



Fig.111 Krambeugel, Thermisch verzinkt

Universele standaard krambeugel. Beschikbaar in vele maten en materialen. Altijd voldoende voorraad in electrolitisch verzinkt, thermisch verzinkt en RVS-304.



Ø	Inch	DN	A1	E	L1	L2	L3	L4		i
22	1/2"	15	M08	31	26	18	37	15	0.04	
27	3/4"	20	M08	36	29	20	42	15	0.04	
34	1"	25	M10	45	32	22	49	15	0.06	
34	1"	25	M08	43	32	24	49	15	0.04	
42	1 1/4"	32	M08	52	41	29	62	20	0.05	
42	1 1/4"	32	M10	54	41	31	62	20	0.08	
48	1 1/2"	40	M08	58	44	29	68	20	0.05	
48	1 1/2"	40	M10	60	44	31	68	20	0.09	
60	2"	50	M08	71	55	34	85	25	0.07	
60	2"	50	M12	75	55	38	85	25	0.16	
60	2"	50	M10	73	55	36	85	25	0.11	
76	2 1/2"	65	M08	0	0	0	0	0	0.08	
76	2 1/2"	65	M12	91	63	38	101	25	0.19	
89	3"	80	M12	104	70	38	114	25	0.21	
89	3"	80	M10	102	70	36	114	25	0.14	
102			M12	117	81	43	132	30	0.25	
114	4"	100	M12	129	87	43	144	30	0.26	
114	4"	100	M10	127	87	41	144	30	0.18	
114	4"	100	M16	133	87	48	144	30	0.51	
140	5"	125	M16	160	100	48	170	30	0.59	
168	6"	150	M12	184	119	48	203	35	0.38	
168	6"	150	M10	182	119	46	203	35	0.26	
168	6"	150	M16	188	118	53	200	35	0.71	
219	8"	200	M20	243	150	62	259	40	1.41	
219	8"	200	M12	235	150	53	259	40	0.54	
219	8"	200	M16	239	150	58	259	40	0.9	
273	10"	250	M20	297	177	62	313	40	1.71	




324	12"	300	M20	349	202	62	364	40	2.15	
406	16"	400	M20	432	248	67	451	45	2.45	
457	18"	450	M24	487	274	71	502	45	4.27	
508	20"	500	M20	534	304	72	558	50	3.27	



Fig.111 Krambeugel, S235 zwart

Universele standaard krambeugel. Beschikbaar in vele maten en materialen. Altijd voldoende voorraad in electrolitisch verzinkt, thermisch verzinkt en RVS-304.



Ø	Inch	DN	A1	E	L1	L2	L3	L4		i
12			M06	19	21	15	27	15	0.01	
16			M06	23	23	17	31	15	0.02	
18	3/8"	10	M06	25	24	18	33	15	0.02	
20			M06	27	25	19	35	15	0.02	
22	1/2"	15	M08	31	26	18	37	15	0.04	
22	1/2"	15	M06	29	26	20	37	15	0.02	
25			M08	34	28	19	40	15	0.04	
27	3/4"	20	M08	36	29	20	42	15	0.04	
27	3/4"	20	M06	34	29	22	42	15	0.02	
27	3/4"	20	M10	38	29	18	42	15	0.07	
30			M10	41	30	20	45	15	0.07	
32			M10	43	31	21	47	15	0.07	
34	1"	25	M08	43	32	24	49	15	0.05	
34	1"	25	M06	41	32	26	49	15	0.03	
34	1"	25	M10	45	32	22	49	15	0.08	
38			M10	50	34	24	53	15	0.08	
42	1 1/4"	32	M08	52	41	29	62	20	0.06	
42	1 1/4"	32	M06	50	41	27	62	20	0.03	
42	1 1/4"	32	M10	54	41	31	62	20	0.09	
45			M10	57	43	31	65	20	0.1	
48	1 1/2"	40	M08	58	44	29	68	20	0.06	
48	1 1/2"	40	M06	56	44	27	68	20	0.04	
48	1 1/2"	40	M10	60	44	31	68	20	0.09	
54			M10	66	47	31	74	20	0.11	
57			M12	71	49	33	77	20	0.209	
60	2"	50	M08	71	55	34	85	25	0.08	
60	2"	50	M06	69	55	32	85	25	0.04	



60	2"	50	M12	75	55	38	85	25	0.16	
60	2"	50	M10	73	55	36	85	25	0.13	
60	2"	50	M16	0	0	0	0	0	0	
63			M12	78	57	38	88	25	0.19	
66			M12	81	58	38	91	25	0.17	
70			M12	85	60	38	95	25	0.21	
70			M10	83	60	36	95	25	0.14	
70			M08	81	60	34	95	25	0.09	
76	2 1/2"	65	M08	87	63	34	101	25	0.1	
76	2 1/2"	65	M06	85	63	32	101	25	0.05	
76	2 1/2"	65	M12	91	63	38	101	25	0.2	
76	2 1/2"	65	M10	89	63	36	101	25	0.15	
83			M12	98	67	38	108	25	0.23	
89	3"	80	M06	98	70	32	114	25	0.06	
89	3"	80	M12	104	70	38	114	25	0.21	
89	3"	80	M10	102	70	36	114	25	0.17	
89	3"	80	M08	100	70	34	114	25	0.11	
95			M12	110	73	38	120	25	0.26	
102	3 1/2"	90	M08	113	81	39	132	30	0.12	
102	3 1/2"	90	M12	117	81	43	132	30	0.28	
102	3 1/2"	90	M10	115	81	41	132	30	0.19	
108			M08	119	84	39	138	30	0.13	
108			M12	123	84	43	138	30	0.29	
108			M10	121	84	41	138	30	0.2	
114	4"	100	M12	129	87	43	144	30	0.26	
114	4"	100	M10	127	87	41	144	30	0.21	
114	4"	100	M08	125	87	39	144	30	0.13	
114	4"	100	M06	123	87	37	144	30	0.07	
120			M12	136	90	43	150	30	0.32	
120			M10	134	90	41	150	30	0.22	
120			M08	132	90	39	150	30	0.14	
120			M16	140	90	48	150	30	0.51	
127			M16	147	94	48	157	30	0.6	
127			M12	143	94	43	157	30	0.34	
127			M10	141	94	41	157	30	0.23	
127			M08	139	94	39	157	30	0.15	
133			M16	153	97	48	163	30	0.63	
133			M12	149	97	43	163	30	0.35	
133			M10	147	97	41	163	30	0.24	
133			M08	145	97	39	163	30	0.15	
140	5"	125	M08	152	100	39	170	30	0.16	
140	5"	125	M16	160	100	48	170	30	0.65	
140	5"	125	M12	156	100	43	170	30	0.36	
140	5"	125	M10	154	100	41	170	30	0.25	
152			M16	172	106	48	182	30	0.7	
159			M16	179	110	48	189	30	0.72	
165			M16	185	118	53	200	35	0.76	
168	6"	150	M10	182	119	46	203	35	0.3	
168	6"	150	M16	188	119	53	203	35	0.77	




Ø	Inch	DN	A1	E	L1	L2	L3	L4		
168	6"	150	M12	184	119	48	203	35	0.43	
178			M16	198	124	53	213	35	0.81	
191			M20	215	136	62	231	40	1.38	
194	7"	175	M20	218	137	62	234	40	1.39	
219	8"	200	M12	235	150	53	259	40	0.54	
219	8"	200	M10	233	150	51	259	40	0.38	
219	8"	200	M16	239	150	58	259	40	0.98	
219	8"	200	M20	243	150	62	259	40	1.54	
241			M20	265	161	62	281	40	1.67	
245			M20	269	163	62	285	40	1.69	
267			M20	291	174	62	307	40	1.82	
273	10"	250	M20	297	177	62	313	40	1.85	
273	10"	250	M16	293	177	58	313	40	1.18	
300			M20	325	190	62	340	40	2.01	
318			M20	343	199	62	358	40	2.12	
324	12"	300	M20	349	202	62	364	40	2.15	
324	12"	300	M16	345	202	58	364	40	1.37	
356	14"	350	M20	382	218	62	396	40	2.34	
368			M24	398	224	66	408	40	3.5	
368			M20	394	224	62	408	40	2.41	
406	16"	400	M24	436	248	71	451	45	3.85	
406	16"	400	M20	432	248	67	451	45	2.66	
457	18"	450	M24	487	274	71	502	45	4.27	
508	20"	500	M24	538	304	76	558	50	4.73	
559	22"	550	M24	589	330	76	609	50	5.16	
610	24"	600	M24	640	355	76	660	50	5.59	
710	28"	700	M24	741	415	86	770	60	6.49	
813	32"	800	M24	844	467	86	873	60	7.36	
914	36"	900	M24	945	517	86	974	60	8.2	
1016	40"	1000	M24	1047	568	86	1076	60	9.06	



Fig.111 Krambeugel, RVS-316

Universele standaard krambeugel. Beschikbaar in vele maten en materialen. Altijd voldoende voorraad in electrolitisch verzinkt, thermisch verzinkt en RVS-304.



Ø	Inch	DN	A1	E	L1	L2	L3	L4		i
12			M06	19	21	15	27	15	0.01	
14			M06	21	22	16	29	15	0.02	
16			M06	23	23	17	31	15	0.02	
18	3/8"	10	M06	25	24	18	33	15	0.02	
20			M06	27	25	19	35	15	0.02	
22	1/2"	15	M06	29	26	20	37	15	0.02	
25			M08	34	28	19	40	15	0.04	
25			M06	32	28	22	40	15	0.02	
27	3/4"	20	M06	34	29	22	42	15	0.02	
27	3/4"	20	M08	36	29	20	42	15	0.04	
30			M10	41	30	20	45	15	0.07	
30			M06	37	30	24	45	15	0.02	
32			M10	43	31	21	47	15	0.07	
32			M06	39	31	25	47	15	0.02	
34	1"	25	M08	43	32	24	49	15	0.04	
34	1"	25	M10	45	32	22	49	15	0.06	
34	1"	25	M06	41	32	26	49	15	0.02	
38			M06	46	34	22	53	15	0.03	
38			M10	50	34	24	53	15	0.08	
42	1 1/4"	32	M08	52	41	29	62	20	0.05	
42	1 1/4"	32	M10	54	41	31	62	20	0.08	
45			M10	57	43	31	65	20	0.1	
45			M08	55	43	29	65	20	0.05	
48	1 1/2"	40	M08	58	44	29	68	20	0.05	
48	1 1/2"	40	M10	60	44	31	68	20	0.09	
54			M10	66	47	31	74	20	0.09	
54			M08	64	47	29	74	20	0.06	



57			M08	67	49	29	77	20	0.07	
57			M12	71	49	33	77	20	0.17	
60	2"	50	M06	69	55	32	85	25	0.04	
60	2"	50	M10	73	55	36	85	25	0.11	
60	2"	50	M08	71	55	34	85	25	0.07	
60	2"	50	M12	75	55	38	85	25	0.16	
63			M08	74	57	34	88	25	0.08	
63			M12	78	57	38	88	25	0.17	
66			M08	77	58	34	91	25	0.09	
66			M12	81	58	38	91	25	0.2	
70			M12	85	60	38	95	25	0.21	
70			M08	81	60	34	95	25	0.09	
76	2 1/2"	65	M08	87	63	34	101	25	0.09	
76	2 1/2"	65	M12	91	63	38	101	25	0.2	
80			M12	95	65	38	105	25	0.2	
80			M08	91	65	34	105	25	0.1	
83			M08	94	67	34	108	25	0.1	
89	3"	80	M08	100	70	34	114	25	0.09	
89	3"	80	M12	104	70	38	114	25	0.21	
95			M08	106	73	34	120	25	0.11	
95			M12	110	73	38	120	25	0.22	
102	3 1/2"	90	M12	117	81	43	132	30	0.25	
102	3 1/2"	90	M10	115	81	41	132	30	0.17	
108			M10	121	84	41	138	30	0.17	
108			M12	123	84	43	138	30	0.29	
114	4"	100	M12	129	87	43	144	30	0.26	
114	4"	100	M10	127	87	41	144	30	0.18	
114	4"	100	M16	133	87	48	144	30	0.51	
120			M10	134	90	41	150	30	0.2	
120			M16	140	90	48	150	30	0.51	
127			M16	147	94	48	157	30	0.58	
127			M10	141	94	41	157	30	0.23	
133			M10	147	97	41	163	30	0.24	
133			M16	153	97	48	163	30	0.63	
140	5"	125	M16	160	100	48	170	30	0.65	
140	5"	125	M10	154	100	41	170	30	0.25	
152			M16	172	106	48	182	30	0.7	
152			M10	166	106	41	182	30	0.27	
159			M16	179	110	48	189	30	0.68	
159			M10	173	110	41	189	30	0.25	
165			M16	185	118	53	200	35	0.76	
165			M10	179	118	46	200	35	0.29	
168	6"	150	M10	182	119	46	203	35	0.3	
168	6"	150	M12	184	119	48	203	35	0.43	
168	6"	150	M16	188	119	53	203	35	0.7	
178			M10	192	124	46	213	35	0.31	
178			M16	198	124	53	213	35	0.77	
191			M20	215	136	62	231	40	1.38	
191			M12	207	136	53	231	40	0.49	



Ø	Inch	DN	A1	E	L1	L2	L3	L4		
194	7"	175	M20	218	137	62	234	40	1.39	
194	7"	175	M12	210	137	53	234	40	0.49	
219	8"	200	M12	235	150	53	259	40	0.48	
219	8"	200	M20	243	150	62	259	40	1.39	
241			M12	257	161	53	281	40	0.59	
241			M20	265	161	62	281	40	1.67	
245			M12	261	163	53	285	40	0.6	
245			M20	269	163	62	285	40	1.69	
267			M12	283	174	53	307	40	0.64	
267			M20	291	174	62	307	40	1.82	
273	10"	250	M20	297	177	62	313	40	1.69	
273	10"	250	M12	289	177	53	313	40	0.61	
300			M20	325	190	62	340	40	2.01	
300			M12	317	190	53	340	40	0.71	
318			M12	335	199	53	358	40	0.75	
318			M20	343	199	62	358	40	2.12	
324	12"	300	M12	341	202	53	364	40	0.68	
324	12"	300	M20	349	202	62	364	40	2.15	
356	14"	350	M20	382	218	62	396	40	2.12	
356	14"	350	M12	374	218	53	396	40	0.83	
368			M12	386	224	53	408	40	0.86	
368			M20	394	224	62	408	40	2.41	
406	16"	400	M12	424	248	58	451	45	0.9	
406	16"	400	M20	432	248	67	451	45	2.66	
420			M24	450	255	71	465	45	3.96	
420			M12	438	255	58	465	45	0.98	
457	18"	450	M24	487	274	71	502	45	4.27	
457	18"	450	M12	475	274	58	502	45	1.05	
508	20"	500	M12	526	304	63	558	50	1.17	
508	20"	500	M24	538	304	76	558	50	4.73	
520			M24	550	310	76	570	50	4.83	
520			M12	538	310	63	570	50	1.19	
559	22"	550	M12	577	330	63	609	50	1.27	
559	22"	550	M24	589	330	76	609	50	5.16	
610	24"	600	M16	632	355	68	660	50	2.46	
610	24"	600	M24	640	355	76	660	50	5.59	
610	24"	600	M12	628	355	63	660	50	1.38	
660	26"	650	M24	691	390	86	720	60	6.08	
660	26"	650	M16	683	390	78	720	60	2.68	
710	28"	700	M24	741	415	86	770	60	6.49	
710	28"	700	M16	733	415	78	770	60	2.87	
762	30"	750	M16	785	441	78	822	60	3.06	
762	30"	750	M24	793	441	86	822	60	6.93	
813	32"	800	M16	836	467	78	873	60	3.25	
813	32"	800	M24	844	467	86	873	60	7.36	
914	36"	900	M24	945	517	86	974	60	8.2	
914	36"	900	M16	937	517	78	974	60	3.63	
1016	40"	1000	M16	1039	568	78	1076	60	4.01	




Ø	Inch	DN	A1	E	L1	L2	L3	L4		
1016	40"	1000	M24	1047	568	86	1076	60	9.06	



Fig.111 Krambeugel, RVS-304

Universele standaard krambeugel. Beschikbaar in vele maten en materialen. Altijd voldoende voorraad in electrolitisch verzinkt, thermisch verzinkt en RVS-304.



Ø	Inch	DN	A1	E	L1	L2	L3	L4		i
12			M06	19	21	15	27	15	0.01	
14			M06	21	22	16	29	15	0.02	
16			M06	23	23	17	31	15	0.02	
18	3/8"	10	M06	25	24	18	33	15	0.02	
20			M06	27	25	19	35	15	0.02	
22	1/2"	15	M06	29	26	20	37	15	0.02	
25			M06	32	28	22	40	15	0.02	
25			M08	34	28	19	40	15	0.04	
27	3/4"	20	M06	34	29	22	42	15	0.02	
27	3/4"	20	M08	36	29	20	42	15	0.03	
30			M10	41	30	20	45	15	0.07	
30			M06	37	30	24	45	15	0.02	
30			M08	39	30	22	45	15	0.04	
32			M06	39	31	25	47	15	0.03	
32			M10	43	31	21	47	15	0.07	
34	1"	25	M06	41	32	26	49	15	0.02	
34	1"	25	M10	45	32	22	49	15	0.06	
34	1"	25	M08	43	32	24	49	15	0.04	
38			M06	46	34	22	53	15	0.03	
38			M10	50	34	24	53	15	0.07	
42	1 1/4"	32	M08	52	41	29	62	20	0.05	
42	1 1/4"	32	M10	54	41	31	62	20	0.08	
45			M10	57	43	31	65	20	0.1	
45			M08	55	43	29	65	20	0.05	
45			M06	0	0	0	0	0	0	
48	1 1/2"	40	M08	58	44	29	68	20	0.05	
48	1 1/2"	40	M10	60	44	31	68	20	0.09	



54			M08	64	47	29	74	20	0.06	
54			M10	66	47	31	74	20	0.09	
57			M08	67	49	29	77	20	0.06	
57			M12	71	49	33	77	20	0.15	
60	2"	50	M12	75	55	38	85	25	0.16	
60	2"	50	M10	73	55	36	85	25	0.11	
60	2"	50	M06	69	55	32	85	25	0.04	
60	2"	50	M08	71	55	34	85	25	0.07	
63			M08	74	57	34	88	25	0.07	
63			M12	78	57	38	88	25	0.16	
66			M08	77	58	34	91	25	0.08	
66			M12	81	58	38	91	25	0.2	
70			M12	85	60	38	95	25	0.18	
70			M08	81	60	34	95	25	0.08	
76	2 1/2"	65	M12	91	63	38	101	25	0.19	
76	2 1/2"	65	M08	87	63	34	101	25	0.08	
80			M12	95	65	38	105	25	0.2	
80			M08	91	65	34	105	25	0.1	
83			M08	94	67	34	108	25	0.9	
83			M12	98	67	38	108	25	0.23	
89	3	80	M10	102	70	36	114	25	0.14	
89	3"	80	M08	100	70	34	114	25	0.09	
89	3"	80	M16	0	0	0	0	0	0	
89	3"	80	M12	104	70	38	114	25	0.21	
95			M08	106	73	34	120	25	0.9	
95			M12	110	73	38	120	25	0.22	
102	3 1/2"	90	M10	115	81	41	132	30	0.17	
102	3 1/2"	90	M12	117	81	43	132	30	0.25	
108			M10	121	84	41	138	30	0.17	
108			M12	123	84	43	138	30	0.25	
114	4"	100	M12	129	87	43	144	30	0.26	
114	4"	100	M16	133	87	48	144	30	0.52	
114	4"	100	M10	127	87	41	144	30	0.18	
120			M10	134	90	41	150	30	0.22	
120			M16	140	90	48	150	30	0.51	
127			M10	141	94	41	157	30	0.2	
127			M16	147	94	48	157	30	0.6	
133			M16	153	97	48	163	30	0.63	
133			M10	147	97	41	163	30	0.21	
140	5"	125	M16	160	100	48	170	30	0.59	
140	5"	125	M10	154	100	41	170	30	0.21	
152			M10	166	106	41	182	30	0.27	
152			M16	172	106	48	182	30	0.7	
159			M10	173	110	41	189	30	0.25	
159			M16	179	110	48	189	30	0.68	
165			M10	179	118	46	200	35	0.29	
165			M16	185	118	53	200	35	0.76	
168	6"	150	M16	188	119	53	203	35	0.77	
168	6"	150	M12	184	119	48	203	35	0.38	



Ø	Inch	DN	A1	E	L1	L2	L3	L4		
168	6"	150	M10	182	119	46	203	35	0.26	
178			M10	192	124	46	213	35	0.28	
178			M16	198	124	53	213	35	0.77	
191			M12	207	136	53	231	40	0.49	
191			M20	215	136	62	231	40	1.38	
194	7"	175	M12	210	137	53	234	40	0.45	
194	7"	175	M20	218	137	62	234	40	1.3	
219	8"	200	M16	239	150	58	259	40	0.88	
219	8"	200	M20	243	150	62	259	40	1.39	
219	8"	200	M12	235	150	53	259	40	0.48	
241			M12	257	161	53	281	40	0.59	
241			M20	265	161	62	281	40	1.67	
245			M12	261	163	53	285	40	0.6	
245			M20	269	163	62	285	40	1.69	
267			M12	283	174	53	307	40	0.64	
267			M20	291	174	62	307	40	1.82	
273	10"	250	M16	293	177	58	313	40	1.06	
273	10"	250	M20	297	177	62	313	40	1.69	
273	10"	250	M12	289	177	53	313	40	0.6	
300			M12	317	190	53	340	40	0.71	
300			M20	325	190	62	340	40	2.01	
318			M20	343	199	62	358	40	2.12	
318			M12	335	199	53	358	40	0.75	
324	12"	300	M12	341	202	53	364	40	0.68	
324	12"	300	M20	349	202	62	364	40	2.15	
324	12"	300	M16	345	202	58	364	40	1.37	
356	14"	350	M22	0	0	0	0	0	2.65	Onlopend
356	14"	350	M20	382	218	62	396	40	2.12	
356	14"	350	M12	374	218	53	396	40	0.83	
368			M20	394	224	62	408	40	2.41	
368			M12	386	224	53	408	40	0.8	
368			M22	0	0	0	0	0	0	Onlopend
406	16"	400	M12	424	248	58	451	45	0.95	
406	16"	400	M22	434	248	69	451	45	3.0	Onlopend
406	16"	400	M20	432	248	67	451	45	2.41	
406	16"	400	M10	0	0	0	0	0	0	
420			M12	438	255	58	465	45	0.98	
420			M24	450	255	71	465	45	3.96	
457	18"	450	M12	475	274	58	502	45	1.05	
457	18"	450	M24	487	274	71	502	45	4.27	
508	20"	500	M12	526	304	63	558	50	1.17	
508	20"	500	M24	538	304	76	558	50	4.73	
520			M12	538	310	63	570	50	1.19	
520			M24	550	310	76	570	50	4.83	
559	22"	550	M24	589	330	76	609	50	5.16	
559	22"	550	M12	557	330	63	609	50	1.27	
610	24"	600	M12	628	340	55	645	35	1.36	
610	24"	600	M24	640	355	76	660	50	5.59	




Ø	Inch	DN	A1	E	L1	L2	L3	L4		
610	24"	600	M16	632	355	68	660	50	2.46	
620			M22	649	360	74	670	50	0	Uitlopend
660	26"	650	M24	691	390	86	720	60	6.08	
660	26"	650	M16	683	390	78	720	60	2.68	
710	28"	700	M16	733	415	78	770	60	2.87	
710	28"	700	M24	741	415	86	770	60	6.49	
762	30"	750	M16	785	441	78	822	60	3.06	
762	30"	750	M24	793	441	86	822	60	6.93	
813	32"	800	M24	844	467	86	873	60	7.36	
813	32"	800	M16	836	467	78	873	60	3.25	
914	36"	900	M24	945	517	86	974	60	8.2	
914	36"	900	M16	937	497	60	954	40	3.57	
1016	40"	1000	M16	1039	548	60	1056	40	3.95	
1016	40"	1000	M24	1047	568	86	1076	60	9.06	



Fig.111 Krambeugel, Electrolytisch verzinkt

Universele standaard krambeugel. Beschikbaar in vele maten en materialen. Altijd voldoende voorraad in electrolytisch verzinkt, thermisch verzinkt en RVS-304.



Ø	Inch	DN	A1	E	L1	L2	L3	L4	ⓘ	ⓘ
12			M06	19	21	15	27	15	0.01	
14			M06	21	22	16	29	15	0.02	
16			M06	23	23	17	31	15	0.02	
18	3/8"	10	M06	25	24	18	33	15	0.02	
20			M06	27	25	19	35	15	0.02	
22	1/2"	15	M05	28	26	21	37	15	0.01	
22	1/2"	15	M06	29	26	20	37	15	0.02	
22	1/2"	15	M08	31	26	18	37	15	0.03	
22			M06	0	0	0	0	Extreem lang of lopend		
25			M08	34	28	19	40	15	0.04	
27	3/4"	20	M08	36	29	20	42	15	0.04	
27	3/4"	20	M10	38	29	18	42	15	0.06	
27	3/4"	20	M06	34	29	22	42	15	0.02	
30			M10	41	30	20	45	15	0.07	
30			M08	39	30	22	45	15	0.04	
32			M10	43	31	21	47	15	0.06	
34	1"	25	M10	45	32	22	49	15	0.06	
34	1"	25	M08	43	32	24	49	15	0.04	
34	1"	25	M06	41	32	26	49	15	0.02	
38			M10	50	34	24	53	15	0.08	
38			M06	46	34	22	53	15	0.03	
42	1 1/4"	32	M06	50	41	27	62	20	0.03	
42	1 1/4"	32	M10	54	41	31	62	20	0.08	
42	1 1/4"	32	M08	52	41	29	62	20	0.05	
45			M10	57	43	31	65	20	0.09	
45			M08	55	43	29	65	20	0.06	
48	1 1/2"	40	M10	60	44	31	68	20	0.09	



48	1 1/2"	40	M06	56	44	27	68	20	0.033	
48	1 1/2"	40	M08	58	44	29	68	20	0.05	
54			M08	64	47	29	74	20	0.06	
54			M10	66	47	31	74	20	0.09	
57			M12	71	49	33	77	20	0.15	
60	2"	50	M08	71	55	34	85	25	0.07	
60			M16	0	0	0	0	0	0	
60	2"	50	M10	73	55	36	85	25	0.11	
60	2"	50	M12	75	55	38	85	25	0.16	
60	2"	50	M06	69	55	32	85	25	0.04	
63			M12	78	57	38	88	25	0.19	
66			M12	81	58	38	91	25	0.2	
70			M08	81	60	34	95	25	0.09	
70			M12	85	60	38	95	25	0.18	
70			M10	83	60	36	95	25	0.12	
76	2 1/2"	65	M12	91	63	38	101	25	0.22	
76	2 1/2"	65	M08	87	63	34	101	25	0.08	
76	2 1/2"	65	M10	89	63	36	101	25	0.13	
76	2 1/2"	65	M06	85	63	32	101	25	0.06	
80			M12	95	65	38	105	25	2	
83			M12	98	67	38	108	25	0.23	
89	3"	80	M08	100	70	34	114	25	0.09	
89	3"	80	M10	102	70	36	114	25	0.14	
89	3"	80	M06	98	70	32	114	25	0.05	
89	3"	80	M12	104	70	38	114	25	0.21	
89	3"	80	M16	0	0	0	0	0	0	
95			M12	110	73	38	120	25	0.22	
102	3 1/2"	90	M12	117	81	43	132	30	0.25	
102	3 1/2"	90	M10	115	81	41	132	30	0.17	
102	3 1/2"	90	M08	113	81	39	132	30	0.1	
108			M10	121	84	41	138	30	0.17	
108			M08	119	84	39	138	30	0.13	
108			M12	123	84	43	138	30	0.25	
114	4"	100	M10	127	87	41	144	30	0.18	
114	4"	100	M06	123	87	37	144	30	0.07	
114	4"	100	M16	133	87	48	144	30	0.55	
114	4"	100	M12	129	87	43	144	30	0.26	
114	4"	100	M08	125	87	39	144	30	0.11	
120			M08	132	90	39	150	30	0.12	
120			M16	140	90	48	150	30	0.51	
120			M12	136	90	43	150	30	0.28	
120			M10	134	90	41	150	30	0.22	
127			M12	143	94	43	157	30	0.34	
127			M10	141	94	41	157	30	0.2	
127			M16	147	94	48	157	30	0.58	
127			M08	139	94	39	157	30	0.15	
133			M10	147	97	41	163	30	0.21	
133			M08	145	97	39	163	30	0.15	
133			M16	153	97	48	163	30	0.55	



Ø	Inch	DN	A1	E	L1	L2	L3	L4		
133			M12	149	97	43	163	30	0.3	
140	5"	125	M16	160	100	48	170	30	0.59	
140	5"	125	M12	156	100	43	170	30	0.32	
140	5"	125	M08	152	100	39	170	30	0.16	
140	5"	125	M10	154	100	41	170	30	0.21	
152			M16	172	106	48	182	30	0.62	
159			M16	179	110	48	189	30	0.72	
165			M16	185	118	53	200	35	0.76	
168	6"	150	M12	184	119	48	203	35	0.38	
168	6"	150	M16	188	119	53	203	35	0.7	
168	6"	150	M10	182	119	46	203	35	0.26	
178			M16	198	124	53	213	35	0.81	
191			M20	215	136	62	231	40	1.38	
191			M16	211	136	58	231	40	0.79	
194	7"	175	M20	218	137	62	234	40	1.3	
219	8"	200	M10	233	150	51	259	40	0.34	
219	8"	200	M12	235	150	53	259	40	0.48	
219	8"	200	M20	243	150	62	259	40	1.39	
219	8"	200	M16	239	150	58	259	40	0.88	
241			M20	265	161	62	281	40	1.67	
245			M20	269	163	62	285	40	1.54	
267			M20	291	174	62	307	40	1.82	
273	10"	250	M16	293	177	58	313	40	1.06	
273	10"	250	M12	289	177	53	313	40	0.66	
273	10"	250	M20	297	177	62	313	40	1.69	
300			M20	325	190	62	340	40	1.86	
318			M20	343	199	62	358	40	1.92	
324	12"	300	M16	345	202	58	364	40	1.24	
324	12"	300	M24	353	202	66	364	40	2.82	
324	12"	300	M20	349	202	62	364	40	1.95	
324	12"	300	M12	341	202	53	364	40	0.68	
356	14"	350	M24	386	218	66	396	40	3.05	
356	14"	350	M22	384	218	64	396	40	2.50	inlopend
356	14"	350	M20	382	218	62	396	40	2.12	
356	14"	350	M16	377	218	62	396	40	0	
368			M24	398	224	66	408	40	3.5	
368			M20	394	224	62	408	40	2.2	
406	16"	400	M24	436	248	71	451	45	3.85	
406	16"	400	M20	432	248	67	451	45	2.41	
457	18"	450	M20	483	274	67	502	45	2.95	
457	18"	450	M24	487	274	71	502	45	4.27	
508	20"	500	M24	538	304	76	558	50	4.3	
508	20"	500	M20	534	304	72	558	50	2.96	
559	22"	550	M24	589	330	76	609	50	5.16	
610	24"	600	M24	640	355	76	660	50	5.59	
620			M22	0	0	0	0	0	0	inlopend
710	28"	700	M24	741	415	86	770	60	6.1	
813	32"	800	M24	843	467	86	873	60	7.36	



Ø	Inch	DN	A1	E	L1	L2	L3	L4		
914	36"	900	M24	945	517	86	974	60	8.2	
1016	40"	1000	M24	1047	568	86	1076	60	9.06	