



Klant Catalogus

Fig. 115 - krambeugel DIN3570

Moree & Vermeer BV
Ring 2 3212 LS Simonshaven
0181-451323
info@moreevermeer.nl



Inhoud

Fig.115 Krambeugel DIN3570, Thermisch verzinkt

Fig.115 Krambeugel DIN3570, S235 zwart

Fig.115 Krambeugel DIN3570, RVS-316


Fig.115 Krambeugel DIN3570, RVS-304

Fig.115 Krambeugel DIN3570, Electrolytisch verzinkt



Fig.115 Krambeugel DIN3570, Thermisch verzinkt

Krambeugel met wat ruimere passing.




Ø	Inch	DN	A1	E	L1	L2	L3	L4		
22	1/2"	15	M10	33	39	30	50	28	0	
27	3/4"	20	M10	40	47	40	60	33	0	
34	1"	25	M10	48	49	40	66	32	0	
42	1 1/4"	32	M10	56	55	50	76	34	0	
48	1 1/2"	40	M10	62	58	50	82	34	0	
60	2"	50	M12	76	67	50	97	37	0	
76	2 1/2"	65	M12	94	75	50	113	37	0	
89	3"	80	M12	106	82	50	126	37	0	
114	4"	100	M16	136	98	60	155	41	0	
140	5"	125	M16	164	105	60	175	35	0	
168	6"	150	M16	192	117	60	201	33	0	
194	7"	175	M16	218	136	60	233	39	0	
219	8"	200	M20	248	154	70	263	44	0	
273	10"	250	M20	302	178	70	314	41	0	
324	12"	300	M20	352	203	70	365	41	0	
356	14"	350	M24	402	233	70	411	55	0	
406	16"	400	M24	452	260	70	463	57	0	
508	20"	500	M24	554	311	70	565	57	0	



Fig.115 Krambeugel DIN3570, S235 zwart

Krambeugel met wat ruimere passing.




Ø	Inch	DN	A1	E	L1	L2	L3	L4		
27	3/4"	20	M10	40	47	40	60	33	0.07	
34	1"	25	M10	48	49	40	66	32	0.08	
42	1 1/4"	32	M10	56	55	50	76	34	0.09	
48	1 1/2"	40	M10	62	58	50	82	34	0.1	
60	2"	50	M12	76	67	50	97	37	0.17	
76	2 1/2"	65	M12	94	75	50	113	37	0.2	
89	3"	80	M12	106	82	50	126	37	0.23	
102	3 1/2"	90	M12	119	91	50	145	37	0	
114	4"	100	M16	136	98	60	155	41	0.54	
140	5"	125	M16	164	105	60	175	35	0.61	
168	6"	150	M16	192	117	60	201	33	0.7	
194	7"	175	M16	218	136	60	233	39	0.8	
219	8"	200	M20	248	154	70	263	44	1.4	
273	10"	250	M20	302	178	70	314	41	1.68	
324	12"	300	M20	352	203	70	365	41	1.94	
356	14"	350	M24	402	233	70	411	55	0	
406	16"	400	M24	452	260	70	463	57	0	
508	20"	500	M24	554	311	70	565	57	0	



Fig.115 Krambeugel DIN3570, RVS-316

Krambeugel met wat ruimere passing.




Ø	Inch	DN	A1	E	L1	L2	L3	L4		i
22	1/2"	15	M10	33	39	30	50	28	0	
27	3/4"	20	M10	40	47	40	60	33	0	
34	1"	25	M10	48	49	40	66	32	0	
42	1 1/4"	32	M10	56	55	50	76	34	0	
48	1 1/2"	40	M10	62	58	50	82	34	0	
60	2"	50	M12	76	67	50	97	37	0	
76	2 1/2"	65	M12	94	75	50	113	37	0	
89	3"	80	M12	106	82	50	126	37	0	
102	3 1/2"	90	M12	119	91	50	145	37	0	
114	4"	100	M16	136	98	60	155	41	0	
140	5"	125	M16	164	105	60	175	35	0	
168	6"	150	M16	192	117	60	201	33	0	
194	7"	175	M16	218	136	60	233	39	0	
219	8"	200	M20	248	154	70	263	44	0	
273	10"	250	M20	302	178	70	314	41	0	
324	12"	300	M20	352	203	70	365	41	0	
356	14"	350	M24	402	233	70	411	55	0	
406	16"	400	M24	452	260	70	463	57	0	
508	20"	500	M24	554	311	70	565	57	0	



Fig.115 Krambeugel DIN3570, RVS-304

Krambeugel met wat ruimere passing.




Ø	Inch	DN	A1	E	L1	L2	L3	L4		i
22	1/2"	15	M10	33	39	30	50	28	0	
27	3/4"	20	M10	40	47	40	60	33	0	
34	1"	25	M10	48	49	40	66	32	0	
38			M10	50	56	45	77	35	0	
42	1 1/4"	32	M10	56	55	50	76	34	0	
48	1 1/2"	40	M10	62	58	50	82	34	0	
60	2"	50	M12	76	67	50	97	37	0	
76	2 1/2"	65	M12	94	75	50	113	37	0	
89	3"	80	M12	106	82	50	126	37	0	
102	3 1/2"	90	M12	119	91	50	145	37	0	
114	4"	100	M16	136	98	60	155	41	0	
140	5"	125	M16	164	105	60	175	35	0	
168	6"	150	M16	192	117	60	201	33	0	
194	7"	175	M16	218	136	60	233	39	0	
219	8"	200	M20	248	154	70	263	44	0	
273	10"	250	M20	302	178	70	314	41	0	
324	12"	300	M20	352	203	70	365	41	0	
356	14"	350	M24	402	233	70	411	55	0	
406	16"	400	M24	452	260	70	463	57	0	
508	20"	500	M24	554	311	70	565	57	0	



Fig.115 Krambeugel DIN3570, Electrolytisch verzinkt

Krambeugel met wat ruimere passing.



Ø	Inch	DN	A1	E	L1	L2	L3	L4		i
22	1/2"	15	M10	33	39	30	50	28	0	
27	3/4"	20	M10	40	47	40	60	33	0.07	
34	1"	25	M10	48	49	40	66	32	0.08	
42	1 1/4"	32	M10	56	55	50	76	34	0.09	
48	1 1/2"	40	M10	62	58	50	82	34	0.1	
60	2"	50	M12	76	67	50	97	37	0.17	
76	2 1/2"	65	M12	94	75	50	113	37	0.2	
89	3"	80	M12	106	82	50	126	37	0.23	
102	3 1/2"	90	M12	119	91	50	145	37	0	
114	4"	100	M16	136	98	60	155	41	0.54	
140	5"	125	M16	164	105	60	175	35	0.61	
168	6"	150	M16	192	117	60	201	33	0.7	
194	7"	175	M16	218	136	60	233	39	0.8	
219	8"	200	M20	248	154	70	263	44	1.4	
273	10"	250	M20	302	178	70	314	41	1.68	
324	12"	300	M20	352	203	70	365	41	1.94	
356	14"	350	M24	402	233	70	411	55	0	
406	16"	400	M24	452	260	70	463	57	0	
457	18"	450	M24	503	286	70	514	57	0	
508	20"	500	M24	554	311	70	565	57	0	