



Klant Catalogus

Fig. 135 - riser beugel

Moree & Vermeer BV
Ring 2 3212 LS Simonshaven
0181-451323
info@moreevermeer.nl



Inhoud


Fig.135 Riser beugel, S235 zwart

Fig.135 Riser beugel, Thermisch verzinkt



Fig.135 Riser beugel, Thermisch verzinkt

Geschikt voor het vastzetten van vertikaal leidingwerk. Levering per stel.




Ø	Inch	DN	A	B x D	C	F	G	R	⚙	⚙	ⓘ
22	1/2	15	234	30 x 5	68	10	12	6	0.7	M10x40	
27	3/4	20	240	30 x 5	74	10	12	6	0.7	M10x40	
34	1	25	245	30 x 5	80	10	12	6	0.8	M10x40	
42	1 1/4	32	254	40 x 6	90	10	12	6	0	M10x40	
48	1 1/2	40	264	40 x 6	100	10	12	6	1.14	M10x40	
60	2	50	274	40 x 6	108	12	14	10	1.03	M12x40	
76	2 1/2	65	286	40 x 6	122	12	14	10	1.14	M12x40	
89	3	80	305	40 x 6	140	12	14	10	0	M12x40	
102	3 1/2	90	330	40 x 8	166	14	14	10	1.5	M12x40	
114	4	100	343	40 x 8	178	14	14	10	1.55	M12x40	
140	5	125	370	50 x 8	202	16	14	10	2.2	M12x50	
168	6	150	394	50 x 8	230	16	14	10	2.4	M12x50	
219	8	200	470	50 x 10	306	18	18	16	4.8	M16x50	
273	10	250	515	50 x 10	350	18	18	16	0	M16x50	
324	12	300	578	50 x 12	400	18	18	16	7.3	M16x65	
356	14	350	610	50 x 12	438	18	18	16	7.75	M16x65	
406	16	400	660	80 x 15	502	22	22	16	0	M20x75	
457	18	450	712	80 x 15	554	22	22	16	0	M20x75	
508	20	500	762	80 x 15	604	22	22	16	0	M20x75	



Fig.135 Riser beugel, S235 zwart

Geschikt voor het vastzetten van vertikaal leidingwerk. Levering per stel.



Ø	Inch	DN	A	B x D	C	F	G	R	⚙	⚙	ⓘ
22	1/2	15	234	30 x 5	68	10	12	6	0.7	M10x40	
27	3/4	20	240	30 x 5	74	10	12	6	0.7	M10x40	
34	1	25	245	30 x 5	80	10	12	6	0.8	M10x40	
42	1 1/4	32	254	40 x 6	90	10	12	6	0.96	M10x40	
48	1 1/2	40	264	40 x 6	100	10	12	6	0	M10x40	
60	2	50	274	40 x 6	108	12	14	10	1.03	M12x40	
76	2 1/2	65	286	40 x 6	122	12	14	10	0	M12x40	
89	3	80	305	40 x 6	140	12	14	10	0	M12x40	
102	3 1/2	90	330	40 x 8	166	14	14	10	1.5	M12x40	
114	4	100	343	40 x 8	178	14	14	10	0	M12x40	
140	5	125	370	50 x 8	202	16	14	10	0	M12x50	
168	6	150	394	50 x 8	230	16	14	10	2.4	M12x50	
219	8	200	470	50 x 10	306	18	18	16	0	M16x50	
273	10	250	515	50 x 10	350	18	18	16	0	M16x50	
324	12	300	578	50 x 12	400	18	18	16	7.3	M16x65	
356	14	350	610	50 x 12	438	18	18	16	7.75	M16x65	
406	16	400	660	80 x 15	502	22	22	16	0	M20x75	
457	18	450	712	80 x 15	554	22	22	16	0	M20x75	
508	20	500	762	80 x 15	604	22	22	16	0	M20x75	