



Klant Catalogus

Fig. 143 - diepe beugel 1-lip DIN1592

Moree & Vermeer BV
Ring 2 3212 LS Simonshaven
0181-451323
info@moreevermeer.nl



Inhoud

Fig.143 Diepe beugel1-lip DIN1592, Thermisch verzinkt


Fig.143 Diepe beugel1-lip DIN1592, S235 zwart

Fig.143 Diepe beugel1-lip DIN1592, RVS-316

Fig.143 Diepe beugel1-lip DIN1592, RVS-304




Fig.143 Diepe beugel1-lip DIN1592, Thermisch verzinkt



Ø	Inch	DN	A	B x D	C	E	F	G	H	R			
7			22	15 x 2	14	1	2	8	18	3	0.01	M6	
9			27	20 x 2	18	1	3	8	18	3	0.01	M6	
13			40	25 x 3	25	2	4	12	18	4	0.03	M10	
16			41	25 x 3	26	2	4	12	18	4	0.04	M10	
19			43	25 x 3	28	2	4	12	18	4	0.04	M10	
23			51	30 x 5	35	4	4	14	18	5	0.1	M12	
26			52	30 x 5	36	4	4	14	18	5	0.11	M12	
29			53	30 x 5	37	4	4	14	18	5	0.12	M12	
31			55	40 x 5	39	5	4	14	22	5	0.13	M12	
36			57	40 x 5	41	6	4	14	22	5	0.18	M12	
39			59	40 x 5	43	6	5	14	22	5	0.2	M12	
43			68	40 x 8	48	6	5	18	38	6	0.22	M16	
46			70	40 x 8	50	6	5	18	38	6	0.23	M16	
49			73	40 x 8	53	6	5	18	38	6	0.4	M16	
58			78	40 x 8	58	8	5	18	38	6	0.45	M16	
61			80	40 x 8	60	8	5	18	38	6	0.48	M16	




Fig.143 Diepe beugel1-lip DIN1592, S235 zwart



Ø	Inch	DN	A	B x D	C	E	F	G	H	R				ⓘ
7			22	15 x 2	14	1	2	8	18	3	0.01	M6		
9			27	20 x 2	18	1	3	8	18	3	0.01	M6		
13			40	25 x 3	25	2	4	12	18	4	0.03	M10		
16			41	25 x 3	26	2	4	12	18	4	0.04	M10		
19			43	25 x 3	28	2	4	12	18	4	0.04	M10		
23			51	30 x 5	35	4	4	14	18	5	0.1	M12		
26			52	30 x 5	36	4	4	14	18	5	0.11	M12		
29			53	30 x 5	37	4	4	14	18	5	0.12	M12		
31			55	40 x 5	39	5	4	14	22	5	0.13	M12		
36			57	40 x 5	41	6	4	14	22	5	0.18	M12		
39			59	40 x 5	43	6	5	14	22	5	0.2	M12		
43			68	40 x 8	48	6	5	18	38	6	0.22	M16		
46			70	40 x 8	50	6	5	18	38	6	0.23	M16		
49			73	40 x 8	53	6	5	18	38	6	0.4	M16		
58			78	40 x 8	58	8	5	18	38	6	0.45	M16		
61			80	40 x 8	60	8	5	18	38	6	0.48	M16		




Fig.143 Diepe beugel1-lip DIN1592, RVS-316



Ø	Inch	DN	A	B x D	C	E	F	G	H	R				i
7			0	0 x 0	0	0	0	0	0	0	0	0		
9			0	0 x 0	0	0	0	0	0	0	0	0		
13			0	0 x 0	0	0	0	0	0	0	0	0		
16			0	0 x 0	0	0	0	0	0	0	0	0		
19			0	0 x 0	0	0	0	0	0	0	0	0		
23			0	0 x 0	0	0	0	0	0	0	0	0		
26			0	0 x 0	0	0	0	0	0	0	0	0		
29			0	0 x 0	0	0	0	0	0	0	0	0		
31			0	0 x 0	0	0	0	0	0	0	0	0		
36			0	0 x 0	0	0	0	0	0	0	0	0		
39			0	0 x 0	0	0	0	0	0	0	0	0		
43			0	0 x 0	0	0	0	0	0	0	0	0		
46			0	0 x 0	0	0	0	0	0	0	0	0		
49			0	0 x 0	0	0	0	0	0	0	0	0		
58			0	0 x 0	0	0	0	0	0	0	0	0		
61			0	0 x 0	0	0	0	0	0	0	0	0		



Fig.143 Diepe beugel1-lip DIN1592, RVS-304



Ø	Inch	DN	A	B x D	C	E	F	G	H	R			
7			0	0 x 0	0	0	0	0	0	0	0	0	
9			0	0 x 0	0	0	0	0	0	0	0	0	
13			0	0 x 0	0	0	0	0	0	0	0	0	
16			0	0 x 0	0	0	0	0	0	0	0	0	
19			0	0 x 0	0	0	0	0	0	0	0	0	
23			0	0 x 0	0	0	0	0	0	0	0	0	
26			0	0 x 0	0	0	0	0	0	0	0	0	
29			0	0 x 0	0	0	0	0	0	0	0	0	
31			0	0 x 0	0	0	0	0	0	0	0	0	
36			0	0 x 0	0	0	0	0	0	0	0	0	
39			0	0 x 0	0	0	0	0	0	0	0	0	
43			0	0 x 0	0	0	0	0	0	0	0	0	
46			0	0 x 0	0	0	0	0	0	0	0	0	
49			0	0 x 0	0	0	0	0	0	0	0	0	
58			0	0 x 0	0	0	0	0	0	0	0	0	
61			0	0 x 0	0	0	0	0	0	0	0	0	