



# Klant Catalogus

## Fig. 144 - diepe beugel DIN1593

Moree & Vermeer BV  
Ring 2 3212 LS Simonshaven  
0181-451323  
[info@moreevermeer.nl](mailto:info@moreevermeer.nl)



## Inhoud

Fig.144 Diepe beugel DIN1593, Thermisch verzinkt

Fig.144 Diepe beugel DIN1593, S235 zwart


Fig.144 Diepe beugel DIN1593, RVS-316

Fig.144 Diepe beugel DIN1593, RVS-304



**Fig.144 Diepe beugel DIN1593, Thermisch verzinkt**

Minder gangbaar alternatief voor fig.102.




| Ø   | Inch  | DN  | A   | B x D  | C   | F | G  | H  | R |  |  |  |
|-----|-------|-----|-----|--------|-----|---|----|----|---|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 7   |       |     | 44  | 20 x 2 | 28  | 2 | 8  | 18 | 3 | 0.01                                                                              | M6                                                                                |                                                                                     |
| 9   |       |     | 48  | 20 x 2 | 32  | 3 | 8  | 18 | 3 | 0.02                                                                              | M6                                                                                |                                                                                     |
| 13  |       |     | 52  | 20 x 2 | 36  | 4 | 8  | 18 | 3 | 0                                                                                 | M6                                                                                |                                                                                     |
| 16  |       |     | 56  | 20 x 2 | 40  | 4 | 8  | 18 | 3 | 0.02                                                                              | M6                                                                                |                                                                                     |
| 19  |       |     | 60  | 20 x 2 | 44  | 4 | 8  | 18 | 3 | 0.03                                                                              | M6                                                                                |                                                                                     |
| 23  | 1/2   | 15  | 82  | 25 x 3 | 56  | 4 | 12 | 18 | 4 | 0.06                                                                              | M10                                                                               |                                                                                     |
| 26  |       |     | 84  | 25 x 3 | 58  | 4 | 12 | 18 | 4 | 0.07                                                                              | M10                                                                               |                                                                                     |
| 29  | 3/4   | 20  | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0.07                                                                              | M10                                                                               |                                                                                     |
| 31  |       |     | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0.08                                                                              | M10                                                                               |                                                                                     |
| 36  | 1     | 25  | 106 | 30 x 5 | 80  | 4 | 12 | 18 | 5 | 0.17                                                                              | M10                                                                               |                                                                                     |
| 39  |       |     | 110 | 30 x 5 | 84  | 5 | 12 | 18 | 5 | 0.18                                                                              | M10                                                                               |                                                                                     |
| 43  | 1 1/4 | 32  | 120 | 30 x 5 | 86  | 5 | 12 | 18 | 5 | 0.2                                                                               | M10                                                                               |                                                                                     |
| 46  |       |     | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0.21                                                                              | M10                                                                               |                                                                                     |
| 49  | 1 1/2 | 40  | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0.22                                                                              | M10                                                                               |                                                                                     |
| 58  |       |     | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0.33                                                                              | M12                                                                               |                                                                                     |
| 61  | 2     | 50  | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0.35                                                                              | M12                                                                               |                                                                                     |
| 71  |       |     | 152 | 40 x 5 | 120 | 5 | 18 | 22 | 6 | 0.38                                                                              | M16                                                                               |                                                                                     |
| 77  | 2 1/2 | 65  | 176 | 40 x 5 | 136 | 5 | 18 | 22 | 6 | 0.44                                                                              | M16                                                                               |                                                                                     |
| 81  |       |     | 184 | 40 x 8 | 144 | 5 | 18 | 38 | 6 | 0.66                                                                              | M16                                                                               |                                                                                     |
| 91  | 3     | 80  | 198 | 40 x 8 | 158 | 5 | 18 | 38 | 6 | 0.8                                                                               | M16                                                                               |                                                                                     |
| 103 | 3 1/2 | 90  | 214 | 40 x 8 | 174 | 5 | 18 | 38 | 6 | 0.89                                                                              | M16                                                                               |                                                                                     |
| 109 |       |     | 220 | 40 x 8 | 180 | 5 | 18 | 38 | 6 | 0                                                                                 | M16                                                                               |                                                                                     |
| 115 | 4     | 100 | 226 | 40 x 8 | 186 | 5 | 18 | 38 | 6 | 1                                                                                 | M16                                                                               |                                                                                     |



**Fig.144 Diepe beugel DIN1593, S235 zwart**

Minder gangbaar alternatief voor fig.102.




| Ø   | Inch  | DN  | A   | B x D  | C   | F | G  | H  | R |      |  |     | i |
|-----|-------|-----|-----|--------|-----|---|----|----|---|------|--|-----|---|
| 7   |       |     | 44  | 20 x 2 | 28  | 2 | 8  | 18 | 3 | 0.01 |  | M6  |   |
| 9   |       |     | 48  | 20 x 2 | 32  | 3 | 8  | 18 | 3 | 0.02 |  | M6  |   |
| 13  |       |     | 52  | 20 x 2 | 36  | 4 | 8  | 18 | 3 | 0    |  | M6  |   |
| 16  |       |     | 56  | 20 x 2 | 40  | 4 | 8  | 18 | 3 | 0.02 |  | M6  |   |
| 19  |       |     | 60  | 20 x 2 | 44  | 4 | 8  | 18 | 3 | 0.03 |  | M6  |   |
| 23  | 1/2   | 15  | 82  | 25 x 3 | 56  | 4 | 12 | 18 | 4 | 0.06 |  | M10 |   |
| 26  |       |     | 84  | 25 x 3 | 58  | 4 | 12 | 18 | 4 | 0.07 |  | M10 |   |
| 29  | 3/4   | 20  | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0.07 |  | M10 |   |
| 31  |       |     | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0.08 |  | M10 |   |
| 36  | 1     | 25  | 106 | 30 x 5 | 80  | 5 | 12 | 18 | 5 | 0.17 |  | M10 |   |
| 39  |       |     | 110 | 30 x 5 | 84  | 5 | 12 | 18 | 5 | 0.18 |  | M10 |   |
| 43  | 1 1/4 | 32  | 120 | 30 x 5 | 86  | 5 | 12 | 18 | 5 | 0.2  |  | M10 |   |
| 46  |       |     | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0.21 |  | M10 |   |
| 49  | 1 1/2 | 40  | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0.22 |  | M10 |   |
| 58  |       |     | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0.33 |  | M12 |   |
| 61  | 2     | 50  | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0.35 |  | M12 |   |
| 71  |       |     | 152 | 40 x 5 | 120 | 5 | 18 | 22 | 6 | 0.38 |  | M16 |   |
| 77  | 2 1/2 | 65  | 176 | 40 x 5 | 136 | 5 | 18 | 22 | 6 | 0.44 |  | M16 |   |
| 81  |       |     | 184 | 40 x 8 | 144 | 5 | 18 | 38 | 6 | 0.66 |  | M16 |   |
| 91  | 3     | 80  | 198 | 40 x 8 | 158 | 5 | 18 | 38 | 6 | 0.8  |  | M16 |   |
| 103 | 3 1/2 | 90  | 214 | 40 x 8 | 174 | 5 | 18 | 38 | 6 | 0.89 |  | M16 |   |
| 109 |       |     | 220 | 40 x 8 | 180 | 5 | 18 | 38 | 6 | 0    |  | M16 |   |
| 115 | 4     | 100 | 226 | 40 x 8 | 186 | 5 | 18 | 38 | 6 | 1    |  | M16 |   |



**Fig.144 Diepe beugel DIN1593, RVS-316**

Minder gangbaar alternatief voor fig.102.




| Ø   | Inch  | DN  | A   | B x D  | C   | F | G  | H  | R |   |  |     | i |
|-----|-------|-----|-----|--------|-----|---|----|----|---|---|--|-----|---|
| 7   |       |     | 44  | 15 x 2 | 28  | 2 | 8  | 18 | 3 | 0 |  | M6  |   |
| 9   |       |     | 48  | 20 x 2 | 32  | 3 | 8  | 18 | 3 | 0 |  | M6  |   |
| 13  |       |     | 52  | 20 x 2 | 36  | 4 | 8  | 18 | 3 | 0 |  | M6  |   |
| 16  |       |     | 56  | 20 x 2 | 40  | 4 | 8  | 18 | 3 | 0 |  | M6  |   |
| 19  |       |     | 60  | 20 x 2 | 44  | 4 | 8  | 18 | 3 | 0 |  | M6  |   |
| 23  | 1/2   | 15  | 82  | 25 x 3 | 56  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 26  |       |     | 84  | 25 x 3 | 58  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 29  | 3/4   | 20  | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 31  |       |     | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 36  | 1     | 25  | 106 | 30 x 5 | 80  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 39  |       |     | 110 | 30 x 5 | 84  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 43  | 1 1/4 | 32  | 120 | 30 x 5 | 86  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 46  |       |     | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 49  | 1 1/2 | 40  | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 58  |       |     | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0 |  | M12 |   |
| 61  | 2     | 50  | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0 |  | M12 |   |
| 71  |       |     | 152 | 40 x 5 | 120 | 5 | 18 | 22 | 6 | 0 |  | M16 |   |
| 77  | 2 1/2 | 65  | 176 | 40 x 5 | 136 | 5 | 18 | 22 | 6 | 0 |  | M16 |   |
| 81  |       |     | 184 | 40 x 8 | 144 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 91  | 3     | 80  | 198 | 40 x 8 | 158 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 103 | 3 1/2 | 90  | 214 | 40 x 8 | 174 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 109 |       |     | 220 | 40 x 8 | 180 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 115 | 4     | 100 | 226 | 40 x 8 | 186 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |



**Fig.144 Diepe beugel DIN1593, RVS-304**

Minder gangbaar alternatief voor fig.102.



| Ø   | Inch  | DN  | A   | B x D  | C   | F | G  | H  | R |   |  |     | i |
|-----|-------|-----|-----|--------|-----|---|----|----|---|---|--|-----|---|
| 7   |       |     | 44  | 20 x 2 | 28  | 2 | 8  | 18 | 3 | 0 |  | M6  |   |
| 9   |       |     | 48  | 20 x 2 | 32  | 3 | 8  | 18 | 3 | 0 |  | M6  |   |
| 13  |       |     | 52  | 20 x 2 | 36  | 4 | 8  | 18 | 3 | 0 |  | M6  |   |
| 16  |       |     | 56  | 20 x 2 | 40  | 4 | 8  | 18 | 3 | 0 |  | M6  |   |
| 19  |       |     | 60  | 20 x 2 | 40  | 4 | 8  | 18 | 3 | 0 |  | M6  |   |
| 23  | 1/2   | 15  | 82  | 25 x 3 | 56  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 26  |       |     | 84  | 25 x 3 | 58  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 29  | 3/4   | 20  | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 31  |       |     | 90  | 25 x 3 | 64  | 4 | 12 | 18 | 4 | 0 |  | M10 |   |
| 36  | 1     | 25  | 106 | 30 x 5 | 80  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 39  |       |     | 110 | 30 x 5 | 84  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 43  | 1 1/4 | 32  | 120 | 30 x 5 | 86  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 46  |       |     | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 49  | 1 1/2 | 40  | 122 | 30 x 5 | 90  | 5 | 12 | 18 | 5 | 0 |  | M10 |   |
| 58  |       |     | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0 |  | M12 |   |
| 61  | 2     | 50  | 142 | 40 x 5 | 110 | 5 | 14 | 22 | 6 | 0 |  | M12 |   |
| 71  |       |     | 152 | 40 x 5 | 120 | 5 | 18 | 22 | 6 | 0 |  | M16 |   |
| 77  | 2 1/2 | 65  | 176 | 40 x 5 | 136 | 5 | 18 | 22 | 6 | 0 |  | M16 |   |
| 81  |       |     | 184 | 40 x 8 | 144 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 91  | 3     | 80  | 198 | 40 x 8 | 158 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 103 | 3 1/2 | 90  | 214 | 40 x 8 | 174 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 109 |       |     | 220 | 40 x 8 | 180 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |
| 115 | 4     | 100 | 226 | 40 x 8 | 186 | 5 | 18 | 38 | 6 | 0 |  | M16 |   |