



Klant Catalogus

g. 145c - stel 3-gatsbeugel DIN3567C oogmoermontage

Moree & Vermeer BV
Ring 2 3212 LS Simonshaven
0181-451323
info@moreevermeer.nl



Inhoud

Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, Thermisch verzinkt

Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, S235 zwart


Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, RVS-316

Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, RVS-304



Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, Thermisch verzinkt

Alternatief voor fig.145b. Weinig courant. Wordt geen voorraad van aangehouden. Levering per stel.



Ø	Inch	DN	A	B x D	C	E	F	G	H	J	R				ⓘ
22	1/2"	15	132	30 x 5	56	10	7	12	18	46	4	0	M10x30		
25			138	30 x 5	62	10	7	12	18	46	4	0	M10x30		
27	3/4"	20	142	30 x 5	66	10	7	12	18	46	4	0	M10x30		
30			144	30 x 5	68	10	7	12	18	46	4	0	M10x30		
32			146	30 x 5	70	10	7	12	18	46	4	0	M10x30		
34	1"	25	148	30 x 5	72	10	7	12	18	46	4	0	M10x30		
38			152	30 x 5	76	10	7	12	18	46	4	0	M10x30		
42	1 1/4"	32	158	30 x 5	82	10	7	12	18	46	4	0	M10x30		
45			160	30 x 5	84	10	7	12	18	46	4	0	M10x30		
48	1 1/2"	40	164	30 x 5	88	10	7	12	18	46	4	0	M10x30		
54			170	30 x 5	94	10	7	12	18	46	4	0	M10x30		
57			198	40 x 6	104	14	9	14	22	54	6	0	M12x40		
60	2"	50	202	40 x 6	108	14	9	14	22	54	6	0	M12x40		
63			205	40 x 6	111	14	9	14	22	54	6	0	M12x40		
66			208	40 x 6	114	14	9	14	22	54	6	0	M12x40		
70			212	40 x 6	118	14	9	14	22	54	6	0	M12x40		
76	2 1/2"	65	216	40 x 6	122	14	9	14	22	54	6	0	M12x40		
80			220	40 x 6	126	14	9	14	22	54	6	0	M12x40		
83			223	40 x 6	129	14	9	14	22	54	6	0	M12x40		
89	3"	80	230	40 x 6	136	14	9	14	22	54	6	0	M12x40		
95			236	40 x 6	142	14	9	14	22	54	6	0	M12x40		
102	3 1/2"	90	243	40 x 6	149	14	9	14	22	54	6	0	M12x40		
108			290	50 x 8	172	17	11	18	38	70	6	0	M16x50		
114	4"	100	296	50 x 8	178	17	11	18	38	70	6	0	M16x50		
120			302	50 x 8	184	17	11	18	38	70	6	0	M16x50		
127			309	50 x 8	191	17	11	18	38	70	6	0	M16x50		
133			314	50 x 8	196	17	11	18	38	70	6	0	M16x50		
140	5"	125	322	50 x 8	204	17	11	18	38	70	6	0	M16x50		




146			328	50 x 8	210	17	11	18	38	70	6	0	M16x50	
152			334	50 x 8	216	17	11	18	38	70	6	0	M16x50	
159			340	50 x 8	222	17	11	18	38	70	6	0	M16x50	
165			346	50 x 8	228	17	11	18	38	70	6	0	M16x50	
168	6"	150	350	50 x 8	232	17	11	18	38	70	6	0	M16x50	
174			356	50 x 8	238	17	11	18	38	70	6	0	M16x50	
178			360	50 x 8	242	17	11	18	38	70	6	0	M16x50	
191			372	50 x 8	254	17	11	18	38	70	6	0	M16x50	
194	7"	175	376	50 x 8	258	17	11	18	38	70	6	0	M16x50	
203			385	50 x 8	267	17	11	18	38	70	6	0	M16x50	
216			389	50 x 8	280	17	11	18	38	70	6	0	M16x50	
219	8"	200	402	50 x 8	284	17	11	18	38	70	6	0	M16x50	
226			409	50 x 8	291	17	11	18	38	70	6	0	M16x50	
241			424	50 x 8	306	17	11	18	38	70	6	0	M16x50	
245			428	50 x 8	310	17	11	18	38	70	6	0	M16x50	
253			436	50 x 8	318	17	11	18	38	70	6	0	M16x50	
267			488	60 x 8	342	22	14	22	60	86	8	0	M20x60	
273	10"	250	494	60 x 8	348	22	14	22	60	86	8	0	M20x60	
300			521	60 x 8	375	22	14	22	60	86	8	0	M20x60	
318			538	60 x 8	392	22	14	22	60	86	8	0	M20x60	
324	12"	300	544	60 x 8	398	22	14	22	60	86	8	0	M20x60	
356	14"	350	578	60 x 8	432	22	14	22	60	86	8	0	M20x60	
368			590	60 x 8	444	22	14	22	60	86	8	0	M20x60	
406	16"	400	672	70 x 10	498	27	18	27	60	104	10	0	M24x80	
420			684	70 x 10	510	27	18	27	60	104	10	0	M24x80	
457	18"	450	721	70 x 10	547	27	18	27	60	104	10	0	M24x80	
508	20"	500	774	70 x 10	600	27	18	27	60	104	10	0	M24x80	
520			788	70 x 10	614	27	18	27	60	104	10	0	M24x80	
559	22"	550	827	70 x 10	653	27	18	27	60	104	10	0	M24x80	
610	24"	600	878	70 x 10	704	27	18	27	60	104	10	0	M24x80	



Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, S235 zwart

Alternatief voor fig.145b. Weinig courant. Wordt geen voorraad van aangehouden. Levering per stel.



Ø	Inch	DN	A	B x D	C	E	F	G	H	J	R				ⓘ
22	1/2"	15	132	30 x 5	56	10	7	12	18	46	4	0	M10x30		
25			138	30 x 5	62	10	7	12	18	46	4	0	M10x30		
27	3/4"	20	142	30 x 5	66	10	7	12	18	46	4	0	M10x30		
30			144	30 x 5	68	10	7	12	18	46	4	0	M10x30		
32			146	30 x 5	70	10	7	12	18	46	4	0	M10x30		
34	1"	25	148	30 x 5	72	10	7	12	18	46	4	0	M10x30		
38			152	30 x 5	76	10	7	12	18	46	4	0	M10x30		
42	1 1/4"	32	158	30 x 5	82	10	7	12	18	46	4	0	M10x30		
45			160	30 x 5	84	10	7	12	18	46	4	0	M10x30		
48	1 1/2"	40	164	30 x 5	88	10	7	12	18	46	4	0	M10x30		
54			170	30 x 5	94	10	7	12	18	46	4	0	M10x30		
57			198	40 x 6	104	14	9	14	22	54	6	0	M12x40		
60	2"	50	202	40 x 6	108	14	9	14	22	54	6	0	M12x40		
63			205	40 x 6	111	14	9	14	22	54	6	0	M12x40		
66			208	40 x 6	114	14	9	14	22	54	6	0	M12x40		
70			212	40 x 6	118	14	9	14	22	54	6	0	M12x40		
76	2 1/2"	65	216	40 x 6	122	14	9	14	22	54	6	0	M12x40		
80			220	40 x 6	126	14	9	14	22	54	6	0	M12x40		
83			223	40 x 6	129	14	9	14	22	54	6	0	M12x40		
89	3"	80	230	40 x 6	136	14	9	14	22	54	6	0	M12x40		
95			236	40 x 6	142	14	9	14	22	54	6	0	M12x40		
102	3 1/2"	90	243	40 x 6	149	14	9	14	22	54	6	0	M12x40		
108			290	50 x 8	172	17	11	18	38	70	6	0	M16x50		
114	4"	100	296	50 x 8	178	17	11	18	38	70	6	0	M16x50		
120			302	50 x 8	184	17	11	18	38	70	6	0	M16x50		
127			309	50 x 8	191	17	11	18	38	70	6	0	M16x50		
133			314	50 x 8	196	17	11	18	38	70	6	0	M16x50		
140	5"	125	322	50 x 8	204	17	11	18	38	70	6	0	M16x50		




146			328	50 x 8	210	17	11	18	38	70	6	0	M16x50	
152			334	50 x 8	216	17	11	18	38	70	6	0	M16x50	
159			340	50 x 8	222	17	11	18	38	70	6	0	M16x50	
165			346	50 x 8	228	17	11	18	38	70	6	0	M16x50	
168	6"	150	350	50 x 8	232	17	11	18	38	70	6	0	M16x50	
174			356	50 x 8	238	17	11	18	38	70	6	0	M16x50	
178			360	50 x 8	242	17	11	18	38	70	6	0	M16x50	
191			372	50 x 8	254	17	11	18	38	70	6	0	M16x50	
194			372	50 x 8	254	17	11	18	38	70	6	0	M16x50	
203			385	50 x 8	267	17	11	18	38	70	6	0	M16x50	
216			389	50 x 8	280	17	11	18	38	70	6	0	M16x50	
219	8"	200	402	50 x 8	284	17	11	18	38	70	6	0	M16x50	
241			424	50 x 8	306	17	11	18	38	70	6	0	M16x50	
245			428	50 x 8	310	17	11	18	38	70	6	0	M16x50	
253			436	50 x 8	318	17	11	18	38	70	6	0	M16x50	
267			488	60 x 8	342	22	14	22	60	86	8	0	M20x60	
273	10"	250	494	60 x 8	348	22	14	22	60	86	8	0	M20x60	
300			521	60 x 8	375	22	14	22	60	86	8	0	M20x60	
318			538	60 x 8	392	22	14	22	60	86	8	0	M20x60	
324	12"	300	544	60 x 8	398	22	14	22	60	86	8	0	M20x60	
356	14"	350	578	60 x 8	432	22	14	22	60	86	8	0	M20x60	
368			590	60 x 8	444	22	14	22	60	86	8	0	M20x60	
406	16"	400	672	70 x 10	498	27	18	27	60	104	10	0	M24x80	
420			684	70 x 10	510	27	18	27	60	104	10	0	M24x80	
457	18"	450	721	70 x 10	547	27	18	27	60	104	10	0	M24x80	
508	20"	500	774	70 x 10	600	27	18	27	60	104	10	0	M24x80	
520			788	70 x 10	614	27	18	27	60	104	10	0	M24x80	
559	22"	550	827	70 x 10	653	27	18	27	60	104	10	0	M24x80	
610	24"	600	878	70 x 10	704	27	18	27	60	104	10	0	M24x80	



Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, RVS-316

Alternatief voor fig.145b. Weinig courant. Wordt geen voorraad van aangehouden. Levering per stel.



Ø	Inch	DN	A	B x D	C	E	F	G	H	J	R				①
22	1/2"	15	132	30 x 5	56	10	7	12	18	46	4	0	M10x30		
25			138	30 x 5	62	10	7	12	18	46	4	0	M10x30		
27	3/4"	20	142	30 x 5	66	10	7	12	18	46	4	0	M10x30		
30			144	30 x 5	68	10	7	12	18	46	4	0	M10x30		
32			146	30 x 5	70	10	7	12	18	46	4	0	M10x30		
34	1"	25	148	30 x 5	72	10	7	12	18	46	4	0	M10x30		
38			152	30 x 5	76	10	7	12	18	46	4	0	M10x30		
42	1 1/4"	32	158	30 x 5	82	10	7	12	18	46	4	0	M10x30		
45			160	30 x 5	84	10	7	12	18	46	4	0	M10x30		
48	1 1/2"	40	164	30 x 5	88	10	7	12	18	46	4	0	M10x30		
54			170	30 x 5	94	10	7	12	18	46	4	0	M10x30		
57			198	40 x 6	104	14	9	14	22	54	6	0	M12x40		
60	2"	50	202	40 x 6	108	14	9	14	22	54	6	0	M12x40		
63			205	40 x 6	111	14	9	14	22	54	6	0	M12x40		
66			208	40 x 6	114	14	9	14	22	54	6	0	M12x40		
70			212	40 x 6	118	14	9	14	22	54	6	0	M12x40		
76	2 1/2"	65	216	40 x 6	122	14	9	14	22	54	6	0	M12x40		
80			220	40 x 6	126	14	9	14	22	54	6	0	M12x40		
83			223	40 x 6	129	14	9	14	22	54	6	0	M12x40		
89	3"	80	230	40 x 6	136	14	9	14	22	54	6	0	M12x40		
95			236	40 x 6	142	14	9	14	22	54	6	0	M12x40		
102	3 1/2"	90	243	40 x 6	149	14	9	14	22	54	6	0	M12x40		
108			290	50 x 8	172	17	11	18	38	70	6	0	M16x50		
114	4"	100	296	50 x 8	178	17	11	18	38	70	6	0	M16x50		
120			302	50 x 8	184	17	11	18	38	70	6	0	M16x50		
127			309	50 x 8	191	17	11	18	38	70	6	0	M16x50		
133			314	50 x 8	196	17	11	18	38	70	6	0	M16x50		
140	5"	125	322	50 x 8	204	17	11	18	38	70	6	0	M16x50		




146			328	50 x 8	210	17	11	18	38	70	6	0	M16x50	
152			334	50 x 8	216	17	11	18	38	70	6	0	M16x50	
159			340	50 x 8	222	17	11	18	38	70	6	0	M16x50	
165			346	50 x 8	228	17	11	18	38	70	6	0	M16x50	
168	6"	50	350	50 x 8	232	17	11	18	38	70	6	0	M16x50	
174			356	50 x 8	238	17	11	18	38	70	6	0	M16x50	
178			360	50 x 8	242	17	11	18	38	70	6	0	M16x50	
191			372	50 x 8	254	17	11	18	38	70	6	0	M16x50	
194	7"	175	376	50 x 8	258	17	11	18	38	70	6	0	M16x50	
203			385	50 x 8	267	17	11	18	38	70	6	0	M16x50	
216			389	50 x 8	280	17	11	18	38	70	6	0	M16x50	
219	8"	200	402	50 x 8	284	17	11	18	38	70	6	0	M16x50	
226			409	50 x 8	291	17	11	18	38	70	6	0	M16x50	
241			424	50 x 8	306	17	11	18	38	70	6	0	M16x50	
245			428	50 x 8	310	17	11	18	38	70	6	0	M16x50	
253			436	50 x 8	318	17	11	18	38	70	6	0	M16x50	
267			488	60 x 8	342	22	14	22	60	86	8	0	M20x60	
273	10"	250	494	60 x 8	348	22	14	22	60	86	8	0	M20x60	
300			521	60 x 8	375	22	14	22	60	86	8	0	M20x60	
318			538	60 x 8	392	22	14	22	60	86	8	0	M20x60	
324	12"	300	544	60 x 8	398	22	14	22	60	86	8	0	M20x60	
356	14"	350	578	60 x 8	432	22	14	22	60	86	8	0	M20x60	
368			590	60 x 8	444	22	14	22	60	86	8	0	M20x60	
406	16"	400	672	70 x 10	498	27	18	27	60	104	10	0	M24x80	
420			684	70 x 10	510	27	18	27	60	104	10	0	M24x80	
457	18"	450	721	70 x 10	547	27	18	27	60	104	10	0	M24x80	
508	20"	500	774	70 x 10	600	27	18	27	60	104	10	0	M24x80	
520			788	70 x 10	614	27	18	27	60	104	10	0	M24x80	
559	22"	550	827	70 x 10	653	27	18	27	60	104	10	0	M24x80	
610	24"	600	878	70 x 10	704	27	18	27	60	104	10	0	M24x80	



Fig.145c Stel 3-gatsbeugel oogmoermontage DIN3567C, RVS-304

Alternatief voor fig.145b. Weinig courant. Wordt geen voorraad van aangehouden. Levering per stel.



Ø	Inch	DN	A	B x D	C	E	F	G	H	J	R				ⓘ
22	1/2"	15	132	30 x 5	56	10	7	12	18	46	4	0	M10x30		
25			138	30 x 5	62	10	7	12	18	46	4	0	M10x30		
27	3/4"	20	142	30 x 5	66	10	7	12	18	46	4	0	M10x30		
30			144	30 x 5	68	10	7	12	18	46	4	0	M10x30		
32			146	30 x 5	70	10	7	12	18	46	4	0	M10x30		
34	1"	25	148	30 x 5	72	10	7	12	18	46	4	0	M10x30		
38			152	30 x 5	76	10	7	12	18	46	4	0	M10x30		
42	1 1/4"	32	158	30 x 5	82	10	7	12	18	46	4	0	M10x30		
45			160	30 x 5	84	10	7	12	18	46	4	0	M10x30		
48	1 1/2"	40	164	30 x 5	88	10	7	12	18	46	4	0	M10x30		
54			170	30 x 5	94	10	7	12	18	46	4	0	M10x30		
57			198	40 x 6	104	14	9	14	22	54	6	0	M12x40		
60	2"	50	202	40 x 6	108	14	9	14	22	54	6	0	M12x40		
63			205	40 x 6	111	14	9	14	22	54	6	0	M12x40		
66			208	40 x 6	114	14	9	14	22	54	6	0	M12x40		
70			212	40 x 6	118	14	9	14	22	54	6	0	M12x40		
76	2 1/2"	65	216	40 x 6	122	14	9	14	22	54	6	0	M12x40		
80			220	40 x 6	126	14	9	14	22	54	6	0	M12x40		
83			223	40 x 6	129	14	9	14	22	54	6	0	M12x40		
89	3"	80	230	40 x 6	136	14	9	14	22	54	6	0	M12x40		
95			236	40 x 6	142	14	9	14	22	54	6	0	M12x40		
102	3 1/2"	90	243	40 x 6	149	14	9	14	22	54	6	0	M12x40		
108			290	50 x 8	172	17	11	18	38	70	6	0	M16x50		
114	4"	100	296	50 x 8	178	17	11	18	38	70	6	0	M16x50		
120			302	50 x 8	184	17	11	18	38	70	6	0	M16x50		
127			309	50 x 8	191	17	11	18	38	70	6	0	M16x50		
133			314	50 x 8	196	17	11	18	38	70	6	0	M16x50		
140	5"	125	322	50 x 8	204	17	11	18	38	70	6	0	M16x50		



146			328	50 x 8	210	17	11	18	38	70	6	0	M16x50	
152			334	50 x 8	216	17	11	18	38	70	6	0	M16x50	
159			340	50 x 8	222	17	11	18	38	70	6	0	M16x50	
165			346	50 x 8	228	17	11	18	38	70	6	0	M16x50	
168	6"	150	350	50 x 8	232	17	11	18	38	70	6	0	M16x50	
174			356	50 x 8	238	17	11	18	38	70	6	0	M16x50	
178			360	50 x 8	242	17	11	18	38	70	6	0	M16x50	
191			372	50 x 8	254	17	11	18	38	70	6	0	M16x50	
194	7"	175	376	50 x 8	258	17	11	18	38	70	6	0	M16x50	
203			385	50 x 8	267	17	11	18	38	70	6	0	M16x50	
216			389	50 x 8	280	17	11	18	38	70	6	0	M16x50	
219	8"	200	402	50 x 8	284	17	11	18	38	70	6	0	M16x50	
226			409	50 x 8	291	17	11	18	38	70	6	0	M16x50	
241			424	50 x 8	306	17	11	18	38	70	6	0	M16x50	
245			428	50 x 8	310	17	11	18	38	70	6	0	M16x50	
253			436	50 x 8	318	17	11	18	38	70	6	0	M16x50	
267			488	60 x 8	342	22	14	22	60	86	8	0	M20x60	
273	10"	250	494	60 x 8	348	22	14	22	60	86	8	0	M20x60	
300			521	60 x 8	375	22	14	22	60	86	8	0	M20x60	
318			538	60 x 8	392	22	14	22	60	86	8	0	M20x60	
324	12"	300	544	60 x 8	398	22	14	22	60	86	8	0	M20x60	
356	14"	350	578	60 x 8	432	22	14	22	60	86	8	0	M20x60	
368			590	60 x 8	444	22	14	22	60	86	8	0	M20x60	
406	16"	400	672	70 x 10	498	27	18	27	60	104	10	0	M24x80	
420			684	70 x 10	510	27	18	27	60	104	10	0	M24x80	
457	18"	450	721	70 x 10	547	27	18	27	60	104	10	0	M24x80	
508	20"	500	774	70 x 10	60	27	18	27	60	104	10	0	M24x80	
520			788	70 x 10	614	27	18	27	60	104	10	0	M24x80	
559	22"	550	827	70 x 10	653	27	18	27	60	104	10	0	M24x80	
610	24"	600	878	70 x 10	704	27	18	27	60	104	10	0	M24x80	