



Klant Catalogus

Fig. 155 - zadel

Moree & Vermeer BV
Ring 2 3212 LS Simonshaven
0181-451323
info@moreevermeer.nl



Inhoud


Fig.155 Zadel, Electrolytisch verzinkt

Fig.155 Zadel, RVS-304



Fig.155 Zadel, RVS-304

Zeer lichte beugel o.a. geschikt voor kunststof leidingen




Ø	Inch	DN	A	B x D	C	F	G	H				①
6			0	0 x 0	0	0	0	0	0			
8			0	0 x 0	0	0	0	0	0			
10			35	11 x 0.7	24	1	5	0	0		M4	
12			37	11 x 0.7	26	1	5	0	0		M4	
14			40	11 x 0.7	30	1	5	0	0		M4	
16			44	11 x 0.7	33	1	5	0	0		M4	
18	3/8"	10	48	11 x 0.7	38	1	5	0	0		M4	
20			49	11 x 0.7	38	1	5	0	0		M4	
22	1/2"	15	58	15 x 1.75	44	1	5	0	0		M4	
24			58	15 x 1.75	44	1	5	0	0		M4	
26			61	15 x 1.75	47	1	5	0	0		M4	
28	3/4"	20	64	15 x 1.75	50	1	5	0	0		M4	
30			66	15 x 1.75	52	1	5	0	0		M4	
32			68	15 x 1.75	54	1	5	0	0		M4	
38			74	15 x 1.75	60	1	5	0	0		M4	
40			0	0 x 0	0	1	5	0	0		M4	
50			0	15 x 1.75	0	1	5	0	0		M4	



Fig.155 Zadel, Electrolytisch verzinkt

Zeer lichte beugel o.a. geschikt voor kunststof leidingen



Ø	Inch	DN	A	B x D	C	F	G	H				①
6			30	11 x 0.7	21	1	5	0	0		M4	
8			32	11 x 0.7	22	1	5	0	0		M4	
10			35	11 x 0.7	24	1	5	0	0		M4	
12			37	11 x 0.7	26	1	5	0	0		M4	
14			40	11 x 0.7	30	1	5	0	0		M4	
16			44	11 x 0.7	33	1	5	0	0		M4	
18	3/8"	10	48	11 x 0.7	38	1	5	0	0		M4	
20			49	11 x 0.7	38	1	5	0	0		M4	
22	1/2"	15	58	15 x 1.75	44	1	5	0	0		M4	
24			58	15 x 1.75	44	1	5	0	0		M4	
26			61	15 x 1.75	47	1	5	0	0		M4	
28	3/4"	20	64	15 x 1.75	50	1	5	0	0		M4	
30			66	15 x 1.75	52	1	5	0	0		M4	
32			68	15 x 1.75	54	1	5	0	0		M4	
34	1"	25	0	0 x 0	0	1	5	0	0		M4	
36			0	0 x 0	0	1	5	0	0		M4	
38			74	15 x 1.75	60	1	5	0	0		M4	
40			0	15 x 1.75	0	1	5	0	0		M4	
42	1 1/4"	40	0	0 x 0	0	1	5	0	0		M4	
50			0	15 x 1.75	0	1	5	0	0		M4	